

# PRODUCT CATALOG

---



**CREST**  
PREMIUM TILE SETTING SOLUTIONS

[www.crest-usa.com](http://www.crest-usa.com)

# ABOUT US...

We cover surface preparation, setting and grouting materials and care & maintenance solutions turning into trust and reliability built up for years based on facts, this is the foundation of our brand which all our growth is sustained.

Throughout our manufacturing processes we have maintained our commitment to excellence, meeting and EXCEEDING INTERNATIONAL STANDARDS since 1996 with the certification of ISO 9000.

We will continue to fulfill our customer's expectations by delivering the best products, great customer service and technical support in order to maximize the value of your projects.

## Since 1957

Throughout our 60 years in the building industry CREST has been a leader in product development for tile and stone installation products for residential, commercial and industrial applications. We offer practical and innovative solutions for the fast-changing needs of the industry in the Americas. CREST is well-positioned in the mind of contractors, architects, designers, installers, do-it-yourselfers and end-consumers.

The foundation of our brand is based on quality, trust, and reliability from our consumers that use our wide portfolio of products.



**CREST**  
PREMIUM TILE SETTING SOLUTIONS



# INDEX

## SURFACE PREPARATION

The first step for a complete tile & stone installation system is surface preparation, here is where the substrate is given the finish needed for the flooring installation; this will range from: Leveling, Waterproofing, Crack Isolation, Sound Control, etc.

## SETTING MATERIALS

In the second step for a tile & stone installation system, you may choose from a wide variety of thin-set mortars, pre-mixed acrylic based, to bond tiles considering: the Substrate, Project's size, Weather Conditions, tile or stone type, etc.

## GROUTING MATERIALS

The third step for a complete tile & stone installation system, is grouting, it has a wide variety of Cement, Acrylic, Urethane and Epoxy grouts, depending on your project's specifications. These are required for filling spaces between tiles at the same time enhancing the beauty of tiles.

## CARE, CLEAN & MAINTENANCE

The fourth step on a tile & stone installation system is Care, Clean & Maintenance; this will help to protect the finished surface, from water, dust stains, etc.

# #Stick TOGETHER



**CREST**  
PREMIUM TILE SETTING SOLUTIONS

[www.crest-usa.com](http://www.crest-usa.com)



## SURFACE PREPARATION



### CREST AUTOLEVEL PRO

#### Self-leveler Underlayment

- It is suitable for thicknesses from ¼" to 3" thick
  - Walkable in 2-3 hours
  - Ideal for pumping applications
  - Indoors only
- 50 lb (22.7 kg) Bag



### CREST AUTOLEVEL PRIMER

#### Acrylic Base Primer

- Seals the surface before the installation of Crest Autolevel Pro
  - Improves bonding, fluidity and self-leveling performance
  - Fast drying up to 30 min
  - Low odor and VOC
- 1 Gal. (3.78 L) Bottle
- \*Red Color Liquid



### CREST PATCH PRO

#### Cement Based Patch

- Covers and fills cracks up to ½" in concrete substrates
  - For indoor and outdoor use
  - Fast drying up to 20 min
  - Can be used to skim featheredge finish up to ½" (12 mm) in one application
- 25 lb (11.3 kg) Bag



### CREST PROBOND

#### Universal Bonding Primer

- Provides a gripping surface on substrates difficult to bond tile
  - Ready to use and can be applied with a roller or brush
  - Fast drying up to 60 min
  - Low odor and VOC
- 1 Gal. (3.78 L) Bucket
- \*Gray Color Liquid



### CREST 2510 ACRYLIC MEMBRANE

#### Waterproofing and Crack Isolation Membrane

- Waterproofs and protects showers, terraces and kitchens from moisture
  - Ready to use and can be applied with a roller or brush
  - Fast drying up to 1 hour
  - Applied over cracks up to 1/8"
- 3.5 Gal. (13.25 L) Pail
- 1 Gal. (3.78 L) Pail
- \*Gold Color Liquid



### ADICREST MP-PLUS

#### Mortar Multipurpose Additive

- Improves properties when mixed with mortars
  - Increases bond strength
  - Provides waterproof properties
  - Improves stain protection
- 1 Gal. (3.78 L) Bottle
- 32 fl. Oz. (946 mL) Bottle
- \*White Color Liquid





## SETTING MATERIALS



### CREST FACHADAS

#### Super-Fortified Thin-Set Mortar

- Super bonding and resistance against outdoor thermal shock
  - Excellent non-sag features
  - Ideal for walls and facades
  - For large and heavy ceramic, porcelain and natural stone tiles up to 24" (60 cm)
  - For indoor and outdoor use
- 44 lb (20 kg) Bag \*White & Gray  
Meets and exceeds ANSI A118.4, A118.11 & A118.15



### CREST GRAN FORMATO ULTRALIGHT

#### Lightweight Reinforced Thin-Set Mortar

- Ultra Latex Reinforced Bonding
  - 30 lb Bag has same coverage as one bag of 50 lb
  - Can be installed on any ceramic or porcelain tiles
  - For interior and exterior floors and walls
  - Eco-friendly
- 30 lb (13.6 kg) Bag \*White & Gray  
Meets and exceeds ANSI A118.4, A118.11 & A118.15



### CREST GRAN FORMATO

#### Fortified Medium Bed Mortar

- Great bonding and workability
  - No shrinkage and decreases lippage problems up to 1" (2.54 cm)
  - Slump resistance for large & heavy tiles
  - Ideal for large & heavy ceramic and porcelain tiles
  - For indoor and outdoor use
- 44 lb (20 kg) Bag \*White & Gray  
Meets and exceeds ANSI A118.4



### CREST GRAN FORMATO LHT FLEX

#### Flexible & Ultra-Fortified Medium Bed Mortar


- Great flexibility against thermal shock - outdoors and on terraces
  - No shrinkage and lippage problems
  - For large & heavy ceramic and porcelain tiles up to 48" (120 cm)
  - For indoor and outdoor use
  - Eco-friendly
- 50 lb (22.7 kg) Bag \*White & Gray  
Meets and exceeds ANSI A118.4, A118.11 & A118.15



### CREST TOTAL MP

#### Latex Fortified Multipurpose Thin Set Mortar

- Outstanding bond strength and workability
  - For ceramic and porcelain tiles larger than 12" (30 cm)
  - For indoor and outdoor use
  - For walls and floors
  - Eco-friendly
- 50 lb (22.7 kg) Bag \*White & Gray  
Meets and exceeds ANSI A118.4 & A118.11



### CREST PORCELANATO LFT PRO

#### Modified Medium Bed Mortar

- Great bonding and workability
  - No shrinkage and decreases lippage problems up to 1" (2.54 cm)
  - Ideal for Ceramic and Porcelain Wood Look tiles up to 36" (90 cm)
  - For interior floors and walls
  - Eco-friendly
- 50 lb (22.7 kg) Bag \*White & Gray  
Meets and exceeds ANSI A118.4



### CREST PORCELANATO

#### Latex Modified Thin-Set Mortar

- High bond strength
  - Excellent workability and consistency
  - For ceramic, porcelain and natural stone tiles
  - Indoors only
  - Eco-friendly
- 50 lb (22.7 kg) Bag \*White & Gray  
Meets and exceeds ANSI A118.4



MAXIMUM STRENGTH



## CREST CERAMIC PRO

### Standard Non Modified Thin-Set Mortar

- Superior bond strength
- For ceramic, saltillo, quarry and natural stone tiles
- For walls and floors
- Indoors only
- Eco-friendly

50 lb (22.7 kg) Bag • White & Gray  
Meets and exceeds ANSI A118.1



## CREST MASTIK MP-300

### Pre-mixed Organic Adhesive

- Great bonding and creamy consistency
- Ideal for kitchens and bathrooms
- Ready to use
- For ceramic, porcelain and glass mosaics up to 12" (30 cm)
- Can be applied over concrete, plywood or drywall

3.5 Gal. y 1 Gal. Bucket

Meets and exceeds ANSI A136.1 specifications for Type I and II



## CREST ULTRAMAX UNIVERSAL GROUT

### Latex Fortified Multifunctional Grout

- For joints from 1/16" (1.5mm) - 3/4" (20mm)
  - Great for dry and wet areas
  - Reduce efflorescence due to its sealing properties
  - Can be used for ceramic, porcelain, and natural stone tiles
  - For interior and exterior floors and walls
- 25 lb (11.3 kg) Bag - 18 colors  
Meets and exceeds ANSI 118.7



## BOQUICREST ULTRAMAX

### Sanded Grout

- Ideal for joints from 1/8" (3 mm) up to 1/2" (12mm) wide
  - Great for dry and wet areas
  - Can be used for ceramic, porcelain and natural stone tiles
  - For interior and exterior floors
- 22 lb (10 kg) Bag - 30 Colors  
Meets and exceeds ANSI 118.7



## JUNTACREST ULTRAMAX

### Unsanded Grout

- For narrow joints up to 1/8" (3mm) or smaller (> 3mm)
  - High resistance to compression and microbial protection
  - Can be used for ceramic, porcelain, natural stone, glass and mosaic tiles
  - For interior and exterior walls
- 11 lb (5 kg) Box - 30 Colors  
Meets and exceeds ANSI 118.7



## BOQUICREST QUARZO

### Pre-mixed Urethane Premium Grout - Quartz Aggregated

- For grout joints widths from 1/6" (1.5mm) up to 1/2" (12mm)
- Amazing flexibility and color accuracy
- Greater water resistance and stain protection
- Fast cure in less than 2 hr
- Ready to use
- Can be used for ceramic, porcelain and natural stone tiles
- For interior and exterior floors and walls
- 9 lb (4 kg) Pail - 7 colors
- 5 lb (2.3 kg) Pail - 3 colors



## BOQUICREST GLASS

### Pre-mixed Urethane Grout - Glass Filled

- For grout joints widths from 1/16" (1.5 mm) up to 1/2" (12 mm)
- Greater color accuracy, flexibility, water resistance and stain protection
- Fast cure in less than 2 hr
- Ready to use
- No sealing required
- For indoor and outdoor use
- 9 lb (4 kg) Pail - 7 colors
- 5 lb (2.3 kg) Pail - 4 colors



## CREST FLEXIGROUT

### Super Flexible Polyurethane Caulk & Adhesive

- Ideal for installations with large vibrations and constant thermal shocks
- Can be used for indoor and outdoor expansion joints
- For indoor and outdoor sinks, showers, patios. For ceramic and porcelain tiles
- Bonds metal, ceramic, wood, vinyl and can be used in swimming pools, fountains and saunas
- 10.5 oz (310 ml) Cartridge



## CREST ULTRAMAX CAULK

### Flexible Sealant Sanded Caulk

- Can be used to fill control joints indoors
- Great flexibility and resistance to temperature changes
- Ideal for bathrooms and kitchens with ceramic, porcelain and natural stone tiles
- Restores cracks grout joints in ceramic, porcelain and natural stone tiles
- Can be used on floors, walls, sinks and showers
- 10.5 oz (310 ml) Cartridge



## CREST ULTRAMAX GROUT ADDITIVE

### Grout Additive Sealer

- Improves the performance and properties of the grouts
- Increases water & stain proof
- Enhances color grouts
- Increases bond strength
- Easy cleaning
- \* Use 1 bottle of additive for 1 bag of BOQUICREST of 10Kg (22 lb) or
- \* Use 1 bottle of additive for 1 box of JUNTACREST 5 kg (11 lb)
- 60 oz. (1.80 L) Plastic Container





# CARE, CLEAN & MAINTENANCE



## CREST CLEAN

### Multipurpose alkaline cleaner

- Can be used in any type of ceramic or porcelain tiles
- Ideal for cleaning, protecting, restoring, beautifying and brightening
- Prior to installation can be used to clean the substrate
- Can be used for cleaning glass and metal surfaces

33.8 fl oz (1 L) Bottle



## CREST CLEAN OBRA

### Concentrated phosphoric acid cleaner

- Removes cement overlays on tiles and grout residues
- Can be used over any type of tile
- Eco-friendly
- Does not stain the tile or grouts

33.8 fl oz (1 L) Bottle



## CREST CLEAN PIEDRAS NATURALES

### Multipurpose neutral cleaner

- Ideal for daily use in cleaning natural stone and sensible tiles
- Can be used on marble, granite, terrazzo, quarry, ceramic and porcelain
- Does not contain acid
- Ideal for medium density tiles

33.8 fl oz (1 L) Bottle



## CREST NATURAL FINISH SEALER

### Penetrating Water Based Sealer

- Provides superior protection to common stains on tiles and grouts
- Protects and repels water. Does not change the tile appearance
- Can be applied on ceramic, porcelain, travertine, quarry and natural stone tiles
- Low odor and VOC

1 Gal. (3.78 Lt.) Bottle

32 fl oz. (946 mL) Bottle



PERFECT SURFACES



## CREST WATERBLOCK SEALER

### Impregnating Water Based Sealer

- Ideal for sealing ceramic, natural stones tiles and grouts
- Protects and repels water on porous surfaces
- Low odor and VOC

1 Gal. (3.78 Lt.) Bottle

32 fl oz. (946 mL) Bottle



## CREST HIGH GLOSS SEALER

### Wet Look Finish Water Based Sealer

- Superior protection to common stains on tiles and grouts
- Provides a more intense and shiny appearance
- Can be applied on ceramic, porcelain, travertine, quarry and natural stone tiles
- Low odor and VOC

1 Gal. (3.78 Lt.) Bottle

32 fl oz. (946 mL) Bottle



## CREST ANTI SLIP

### Anti-Slip Tile Treatment

- Reduces slipping on wet or high glossier surfaces
- Can be used on ceramic, porcelain and natural stone tiles
- Ideal for schools, office reception areas, hospitals, shopping centers and supermarkets
- Matte finish look using this treatment

1 Gal. (3.78 Lt.) Bottle

32 fl oz. (946 mL) Bottle



# CREST

PREMIUM TILE SETTING SOLUTIONS

## CONNECT WITH US!



CREST USA



@usacrest



@crestusa\_



Crest-Usa

[www.crest-usa.com](http://www.crest-usa.com)